

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

# **TATO-PELLETS**

# **POTATO STOP SPROUT**

**ACTIVE CONSTITUENT: 980 g/kg CHLORPROPHAM**

For vapour phase treatment of stored table potatoes to prevent sprouting as specified in the  
Directions for Use table.

**NOT TO BE SOLD SEPARATELY**  
**BEFORE USE READ ALL DIRECTIONS ON THE OUTER PACK**

**CONTENTS:** 15 kg  
CONTAINS 3 x 5 kg MEASURE PACKS WHICH IT IS ILLEGAL TO SELL SEPARATELY

**CropSure Pty Ltd**  
18 Raymond Road  
Laverton North  
Victoria 3026  
ABN: 17 643 829 190  
ACN: 643 829 190  
Phone: 03 9931 2200  
[www.cropsure.com](http://www.cropsure.com)

**DIRECTIONS FOR USE****RESTRAINTS**

DO NOT treat wet, damaged or rotting potatoes.

DO NOT treat after sprouting has developed.

DO NOT use on or near seed potatoes.

Crop	Rate	Critical Comments
Stored Table Potatoes	Up to 3kg per 100 tonnes potatoes. A 5kg bag of pellets treats 167 tonnes of potatoes.	Place the required amount of pellets into appropriate fogging equipment for application into the sealed storage shed. Application rate will depend upon: variety of potatoes, storage conditions and the desired length of storage. Retreatment may be necessary. It is recommended to monitor chlorpropham levels and if residue levels fall below the critical level of 25ppm, topping up may be required. Treatment with Tato-Pellets Potato Stop Sprout must be managed so that potatoes removed from storage and sent for processing contain less than 30mg/kg chlorpropham.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

**WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED**

**GENERAL INSTRUCTIONS**

This product is specially formulated for prevention of sprouting in stored potatoes. It is designed to be vaporised through appropriate fogging equipment. Seal all vents and doors in storage shed. It is important to ensure that treatment shed is thoroughly sealed and fully airtight. Keep storage area sealed for 24 hours, then open shed to allow free air movement. It is recommended that the shed is aired for 24 hours before re-entering.

**PRECAUTION**

Re-entry Period:

Do not allow entry into treated areas for 48 hours after treatment. Do not allow entry into treated area unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) goggles, half-piece respirator, and chemical resistant gloves and footwear. Clothing must be washed after each day's use.

**PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND THE ENVIRONMENT**

Dangerous to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used chemical containers.

**STORAGE AND DISPOSAL**

Store in the closed original container in a dry, cool, well ventilated area out of direct sunlight. Single rinse or shake remainder into fogging equipment. Do not dispose of pellets on site. Puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

**SAFETY DIRECTIONS**

Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale dust. When using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and elbow-length PVC gloves and goggles and disposable dust face mask covering mouth and

nose. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves and goggles and contaminated clothing.

**FIRST AID**

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

**SAFETY DATA SHEET**

For further information refer to the Safety Data Sheet (SDS), which is available from the supplier.

**CONDITIONS OF SALE**

CropSure Pty Ltd shall not be liable for any loss, injury, damage or death whether consequential or otherwise, whatsoever or whosoever arising whether through negligence or otherwise, in connection with the sale, supply, use or application of this product, except for any provisions or rights under the Australian Consumer Law which cannot be excluded. The supply of this product is on the express condition that the purchaser does not rely on CropSure Pty Ltd skill of judgement in the purchasing or using the same and every person using this product does so at their own risk absolutely. The Buyer and user assume all risk of use and/or handling and/or storage of this material when such use and/or handling and/or storage is contrary to label instructions. This product is designed to be only used according with the label directions.

<b>IN EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE</b>	<b>24HR EMERGENCY RESPONSE: AU +61 1800 951 288 NZ +64 800 700 112</b>
---	--

APVMA Approval Number: 66862 / 118082

Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dusts. Do not get in eyes, on skin, or on clothing. Wash contacted areas thoroughly after handling. Get medical advice or attention if you feel unwell. Brush off loose particles from skin. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If exposed or concerned: Get medical advice. In case of fire: Use carbon dioxide, dry chemical, foam, water fog, to extinguish. Protect from sunlight. Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep cool. Dispose of contents and containers as specified on the registered label.